

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM



LISTING SERVICE

LISTING No. 4175-2272:0500 Page 1 of 1

CATEGORY: 4175 -- ROOF COVERING (MISCELLANEOUS)

LISTEE: Davinci Roofscapes, LLC 13890 W. 101 St, Lenexa, KS 66215
Contact: Tim Gentry (913) 599-0766
Email: tgentry@davinciroofscapes.com

DESIGN: Davinci Roofscapes composite shake roofing tiles. The roofing assembly consists of nominal 2"x4" Douglas Fir joists having a moisture content between 8-12%, 15/32" AC exterior grade plywood, single layer of Solarhide Roofing underlayment mechanically fastened to the deck using T50 staples at 18" O.C., Davinci composite shakes fastened to deck using two 1-1/2" roofing nails per tile with 3/8" gap between each tile.

RATING: Class A Roof Covering

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes & ordinances and in a manner acceptable to the authority having jurisdiction.

MARKING: Listee's name, product name and SFM label.

APPROVAL: Listed as a Class A roof covering assembly as described under "Design". Refer to listee's Installation Instruction Manual for details.

08-13-2018 dcc



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other

Date Issued: **August 13, 2018**

Listing Expires **June 30, 2019**

Authorized By: **DAVID CASTILLO**, Program Coordinator
Fire Engineering Division